

TOILET & SHOWER  
CUBICLES

# PRODUCT CATALOGUE

LOCKER  
SYSTEMS

BENCH  
SEATING

MODESTY  
PANELS

INTEGRATED  
PANNELLING SYSTEMS

WASHROOM  
ACCESSORIES

COMPACT  
LAMINATE



LEADERS IN WASHROOM SOLUTIONS

[www.aqualoo.com.au](http://www.aqualoo.com.au)

**“Commercial designs with enduring appeal and options for bespoke customisation.”**

## WHO WE ARE

Aqualoo was introduced by WCCI - West Coast Commercial Industries to provide the market with a comprehensive washroom solution.

A family-owned company since 2000, WCCI commenced operation in Rockingham WA and now has distributors in SA, NSW, Vic and Qld.

Distributor of high quality Maica and Fundermax compact laminates since 2019.

All products are tailored to meet your specifications and manufactured using state of the art technology to deliver prompt turnaround times that will assist with your build program.

## Vision

**Striving to service our customer with the utmost respect, integrity, and to their complete satisfaction. Providing quality products delivered in full on-time.**

## Mission

**Continuous improvement and growth in our operations and culture; while maintaining profitability to the benefit of our customers, the community, our employees and their families.**

## Purpose

**Consistently manufacture high-quality products.**

## Values

**Ethical, Truthful, Humble, Reliable, Loyal.**



## WHAT WE DO

### Toilet / Shower Cubicles

Designs with enduring appeal that really work, with options in a wide range of compact laminate or MR Board colours.

### Lockers / Bench Seating

Lockers with superior quality and workmanship, in single, double, triple or Z shaped doors. Variety of locking options and serviceable seating arrangements.

### Modesty Panels

For privacy in public and commercial bathrooms, our modesty panels come in a range of shapes, sizes and colours.

### Integrated Panel Systems

Flexible wall paneling systems that solve your access and aesthetic problems. Suitable for retail, hospitality, office, medical, multi-residential, education and community projects.





TOILET & SHOWER  
CUBICLES

**PEDESTAL MOUNTED  
OVERHEAD BRACED**

13MM  
COMPACT LAMINATE

18MM / 32MM  
MR BOARD


AQUA SERIES  
DOOR HARDWARE

REBATED DOOR  
OPTION AVAILABLE

BOLT THROUGH  
DOOR HARDWARE  
OPTION AVAILABLE

POWDER COATING  
OPTION AVAILABLE

## AQUALOO CONTEMPORARY



### >> STANDARD SPECIFICATIONS

- Overall Height
- Overall Depth
- Frontal Panels - with 205mm floor clearance, width: min. 150mm
- Overall Divisional Panels Height - with 205mm floor clearance
- Overall Door Height - with 205mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

Overall Height	2027mm
Overall Depth	1500mm - 1800mm
Frontal Panels - with 205mm floor clearance, width: min. 150mm	2027mm
Overall Divisional Panels Height - with 205mm floor clearance	1905mm
Overall Door Height - with 205mm floor clearance	1905mm
Standard Door Width	600mm
Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm

“  
Pedestal Mounted / Overhead Braced  
Perfect for high traffic environments.”



“

Floor Mounted / Overhead Braced  
Perfect for high traffic environments.

TOILET & SHOWER  
CUBICLES

FLOOR MOUNTED  
OVERHEAD BRACED

13MM  
COMPACT LAMINATE

PINNED DIRECTLY  
TO FLOOR


AQUA SERIES  
DOOR HARDWARE

REBATED DOOR  
OPTION AVAILABLE

BOLT THROUGH  
DOOR HARDWARE  
OPTION AVAILABLE

POWDER COATING  
OPTION AVAILABLE

## AQUALOO REGENT



### >> STANDARD SPECIFICATIONS

- Overall Height
- Overall Depth
- Frontal Panels - with 205mm floor clearance, width: min. 150mm
- Overall Divisional Panels Height - with 205mm floor clearance
- Overall Door Height - with 205mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

Overall Height	2027mm
Overall Depth	1500mm - 1800mm
Frontal Panels - with 205mm floor clearance, width: min. 150mm	2027mm
Overall Divisional Panels Height - with 205mm floor clearance	1905mm
Overall Door Height - with 205mm floor clearance	1905mm
Standard Door Width	600mm
Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm





Skirt Mounted / Overhead Braced  
Perfect for high traffic environments.

TOILET & SHOWER  
CUBICLES

**SKIRT MOUNTED  
OVERHEAD BRACED**

13MM  
COMPACT LAMINATE

18MM / 32MM  
MR BOARD


AQUA SERIES  
DOOR HARDWARE

REBATED DOOR  
OPTION AVAILABLE

BOLT THROUGH  
DOOR HARDWARE  
OPTION AVAILABLE

POWDER COATING  
OPTION AVAILABLE

## AQUALOO PINNACLE



### >> STANDARD SPECIFICATIONS

- Overall Height
- Overall Depth
- Frontal Panels - with 205mm floor clearance, width: min. 150mm
- Overall Divisional Panels Height - with 205mm floor clearance
- Overall Door Height - with 205mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

Overall Height	2027mm
Overall Depth	1500mm - 1800mm
Frontal Panels - with 205mm floor clearance, width: min. 150mm	2027mm
Overall Divisional Panels Height - with 205mm floor clearance	1905mm
Overall Door Height - with 205mm floor clearance	1905mm
Standard Door Width	600mm
Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm





“  
Floor to Ceiling  
Slimline design.”

TOILET & SHOWER  
CUBICLES

FLOOR TO CEILING

13MM  
COMPACT LAMINATE

PINNED DIRECTLY  
TO FLOOR


AQUA SERIES  
DOOR HARDWARE

REBATED DOOR  
OPTION AVAILABLE

BOLT THROUGH  
DOOR HARDWARE  
OPTION AVAILABLE

POWDER COATING  
OPTION AVAILABLE

## AQUALOO WINDSOR



### >> STANDARD SPECIFICATIONS

- Overall Height - max. 2700mm
- Overall Depth
- Frontal Panels - width: min. 150mm
- Overall Divisional Panels Height - with 205mm floor clearance
- Overall Door Height - with 205mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

To Match Ceiling Height	1500mm - 1800mm
To Match Ceiling Height	1905mm
	1905mm
	600mm
	700mm





Rebated Doors / Full Height / Floor to Ceiling  
 For maximum privacy, minimal clearances,  
 ideal for unisex toilets and changing rooms.

TOILET & SHOWER  
 CUBICLES

**FULL HEIGHT  
 FLOOR TO CEILING**

**REBATED DOORS  
 INCLUDED**

13MM  
 COMPACT LAMINATE


PINNED DIRECTLY  
 TO FLOOR

AQUA SERIES  
 DOOR HARDWARE

BOLT THROUGH  
 DOOR HARDWARE  
 OPTION AVAILABLE

POWDER COATING  
 OPTION AVAILABLE

## AQUALOO BERSA



### >> STANDARD SPECIFICATIONS

- Overall Height - max. 2700mm
- Overall Depth
- Frontal Panels - width: min. 150mm / height: max. 2700mm
- Overall Divisional Panels Height - max. 2700mm, panel join required
- Overall Door Height - min. 10mm floor clearance / 80mm clearance from ceiling
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

To Match Ceiling Height	1500mm - 1800mm
To Match Ceiling Height	To Match Ceiling Height
To Match Ceiling Height	To Match Ceiling Height
	2610mm
	600mm
	700mm



“

**Pedestal Mounted / Set Back Overhead Braced**  
**Simple design with a touch of elegance,**  
**recommended for medium to low environments.**

TOILET & SHOWER  
 CUBICLES

**PEDESTAL MOUNTED  
 SET BACK  
 OVERHEAD BRACED**

13MM  
 COMPACT LAMINATE

18MM / 32MM  
 MR BOARD


AQUA SERIES  
 DOOR HARDWARE

REBATED DOOR  
 OPTION AVAILABLE

BOLT THROUGH  
 DOOR HARDWARE  
 OPTION AVAILABLE

POWDER COATING  
 OPTION AVAILABLE

## AQUALOO ELEGANTE



### >> STANDARD SPECIFICATIONS

- Overall Height
- Overall Depth
- Frontal Panels - with 90mm floor clearance width: min. 200mm / max. 450mm
- Overall Divisional Panels Height - with 90mm floor clearance
- Overall Door Height - with 90mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

Overall Height	2100mm
Overall Depth	1500mm - 1800mm
Frontal Panels - with 90mm floor clearance width: min. 200mm / max. 450mm	2100mm
Overall Divisional Panels Height - with 90mm floor clearance	2100mm
Overall Door Height - with 90mm floor clearance	2100mm
Standard Door Width	600mm
Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm





“  
Set Back Overhead Braced & Pedestal Mounted  
Clean lines with the appearances of a streamline,  
floating cubicle system.

TOILET & SHOWER  
CUBICLES

**SET BACK  
OVERHEAD BRACED  
PEDESTAL MOUNTED**

13MM  
COMPACT LAMINATE

18MM  
MR BOARD


AQUA SERIES  
DOOR HARDWARE

REBATED DOOR  
OPTION AVAILABLE

BOLT THROUGH  
DOOR HARDWARE  
OPTION AVAILABLE

POWDER COATING  
OPTION AVAILABLE

## AQUALOO LATITUDE



### >> STANDARD SPECIFICATIONS

- Overall Height
- Overall Depth
- Frontal Panels - with 90mm floor clearance width: min. 200mm / max. 450mm
- Overall Divisional Panels Height - with 90mm floor clearance
- Overall Door Height - with 90mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

Overall Height	2100mm
Overall Depth	1500mm - 1800mm
Frontal Panels - with 90mm floor clearance width: min. 200mm / max. 450mm	2100mm
Overall Divisional Panels Height - with 90mm floor clearance	2100mm
Overall Door Height - with 90mm floor clearance	2100mm
Standard Door Width	600mm
Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm





Set Back Pedestal Mounted / Overhead Braced  
Easy to clean and maintain, another option of a floating system.

TOILET & SHOWER  
CUBICLES

**SET BACK  
PEDESTAL MOUNTED  
OVERHEAD BRACED**

13MM  
COMPACT LAMINATE

18MM / 32MM  
MR BOARD



AQUA SERIES  
DOOR HARDWARE

REBATED DOOR  
OPTION AVAILABLE

BOLT THROUGH  
DOOR HARDWARE  
OPTION AVAILABLE

POWDER COATING  
OPTION AVAILABLE

## AQUALOO CAPITAL



### >> STANDARD SPECIFICATIONS

- Overall Height - max. 2700mm
- Overall Depth
- Frontal Panels - with 90mm floor clearance width: min. 200mm / max. 450mm
- Overall Divisional Panels Height - with 90mm floor clearance
- Overall Door Height - with 90mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

To Match Ceiling Height

1500mm - 1800mm

To Match Ceiling Height

1890mm

1890mm

600mm

700mm





“  
**Floor Mounted**  
**Low traffic environments.**

TOILET & SHOWER  
 CUBICLES

**FLOOR MOUNTED**

13MM  
 COMPACT LAMINATE

PINNED DIRECTLY  
 TO FLOOR


AQUA SERIES  
 DOOR HARDWARE

REBATED DOOR  
 OPTION AVAILABLE

BOLT THROUGH  
 DOOR HARDWARE  
 OPTION AVAILABLE

POWDER COATING  
 OPTION AVAILABLE

## AQUALOO PROVANCE



### >> STANDARD SPECIFICATIONS

• Overall Height - maximum	1905mm
• Overall Depth	1500mm - 1800mm
• Frontal Panels - width: min. 250mm / max. 450mm	1905mm
<b>Note: Floor must be a min. of 100mm thick solid structural concrete</b>	100mm
• Overall Divisional Panels Height - with 205mm floor clearance	1905mm
• Overall Door Height - with 205mm floor clearance	1905mm
• Standard Door Width	600mm
• Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm



“  
**Skirt Mounted**  
 Low traffic environments.”

TOILET & SHOWER  
 CUBICLES

**SKIRT MOUNTED**

13MM  
 COMPACT LAMINATE

18MM / 32MM  
 MR BOARD


AQUA SERIES  
 DOOR HARDWARE

REBATED DOOR  
 OPTION AVAILABLE

BOLT THROUGH  
 DOOR HARDWARE  
 OPTION AVAILABLE

POWDER COATING  
 OPTION AVAILABLE

## AQUALOO LIBERTY



### >> STANDARD SPECIFICATIONS

• Overall Height - maximum	1905mm
• Overall Depth	1500mm - 1800mm
• Frontal Panels - width: min. 200mm / max. 450mm	1905mm
<b>Note: Floor must be a min. of 100mm thick solid structural concrete</b>	100mm
• Overall Divisional Panels Height - with 205mm floor clearance	1905mm
• Overall Door Height - with 205mm floor clearance	1905mm
• Standard Door Width	600mm
• Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm





“  
**Skirt Mounted**  
**Low traffic environments.**

TOILET & SHOWER  
 CUBICLES

**SKIRT MOUNTED**

13MM  
 COMPACT LAMINATE

18MM / 32MM  
 MR BOARD


AQUA SERIES  
 DOOR HARDWARE

REBATED DOOR  
 OPTION AVAILABLE

BOLT THROUGH  
 DOOR HARDWARE  
 OPTION AVAILABLE

POWDER COATING  
 OPTION AVAILABLE

## AQUALOO KINDY



### >> STANDARD SPECIFICATIONS

• Overall Height	1000mm - 1500mm
• Overall Depth	1500mm - 1800mm
• Frontal Panels - width: min. 150mm / max. 450mm	1000mm - 1500mm
• Overall Divisional Panels Height - with 205mm floor clearance	750mm - 1295mm
• Overall Door Height - with 205mm floor clearance	750mm - 1295mm
• Standard Door Width	600mm
• Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm



“

Using simple shapes and routing, customised kindy cubicles and modesty panels create fun environments for schools, early learning centres and childcares.



SKIRT MOUNTED



SHAPED DOORS



DIVISION PANELS



PINNED TO THE FLOOR



ROUTED PANELS



CUSTOM PANELS







“  
Compact laminate seating suitable for changerooms.  
Available in wall mounted or island bench.”

CHANGE AREAS

**WALL & ISLAND  
BENCH SEATING**

13MM  
COMPACT LAMINATE

3MM V-GROOVE  
ROUTED SEATING

ANODISED  
ALUMINIUM FRAME


ANGLED BRACKET  
OPTIONS AVAILABLE

HOOK  
OPTIONS AVAILABLE

POWDER COATING  
OPTION AVAILABLE

AQUALOO

# ISLAND BENCH SEATING



## >> STANDARD SPECIFICATIONS

• Overall Height	1800mm
• Overall Depth	770mm
• Overall Width	700mm / 1400mm / 2100mm
• Seat Height - can be adjusted for uneven floors	min. 465mm
• Back Rest Height - 200mm above seat height	300mm
• Coat Hook - spaced at 500mm centers	100mm
• Bench Seat Frame - anodised aluminium frame with stainless steel fixings	





Compact laminate seating suitable for changerooms. Available in wall mounted or island bench.

CHANGE AREAS

**WALL & ISLAND BENCH SEATING**

13MM COMPACT LAMINATE

3MM V-GROOVE ROUTED SEATING


ANODISED ALUMINIUM FRAME

ANGLED BRACKET OPTIONS AVAILABLE

HOOK OPTIONS AVAILABLE

POWDER COATING OPTION AVAILABLE

## AQUALOO WALL BENCH SEATING



### >> STANDARD SPECIFICATIONS

- Overall Height
- Overall Depth
- Overall Width
- Seat Height - can be adjusted for uneven floors
- Coat Hook - spaced at 500mm centers
- Bench Seat Frame - anodised aluminium frame with stainless steel fixings

Overall Height	1800mm
Overall Depth	420mm
Overall Width	700mm / 1400mm / 2100mm
Seat Height - can be adjusted for uneven floors	min. 465mm
Coat Hook - spaced at 500mm centers	100mm





“  
 Various standard / combination designs  
 and locking options to meet maximum flexibility  
 integrating seamlessly with Aqualoo Cubicle Systems.

FOR WET OR DRY  
 APPLICATIONS

**STANDARD  
 LOCKERS**

13MM  
 COMPACT LAMINATE

18MM  
 MR BOARD


16MM CARCASS  
 MELAMINE / PVC

STANDARD WHITE OR  
 BLACK CARCASS

VARIOUS LOCKING  
 OPTIONS AVAILABLE

VENTILATED DOORS  
 OPTION AVAILABLE

AQUALOO  
**STANDARD LOCKERS**



>> STANDARD SPECIFICATIONS

• Overall Height - with 110mm plinth	1910mm
• Locker Height	1800mm
• Overall Depth	500mm
• Overall Width	300mm or 400mm
• Locker Doors - Compact Laminate or MR Board	13mm or 18mm
• Locker Carcass - MR Melamine or PVC Rigid Board	16mm
• Internal of Locker - comes with shelf and hanging rail, pending on design	





FOR WET OR DRY APPLICATIONS

**COMBINATION LOCKERS**

13MM COMPACT LAMINATE

18MM MR BOARD


16MM CARCASS MELAMINE / PVC

STANDARD WHITE OR BLACK CARCASS

VARIOUS LOCKING OPTIONS AVAILABLE

VENTILATED DOORS OPTION AVAILABLE

## AQUALOO COMBO LOCKERS



>> STANDARD SPECIFICATIONS

• Overall Height	1910mm
• Overall Depth	500mm
• Overall Width	300mm or 400mm
• Seat Height - can be adjusted for uneven floors	465mm

“ Various standard / combination designs and locking options to meet maximum flexibility integrating seamlessly with Aqualoo Cubicle Systems. ”





**Aesthetically appealing wall panel systems with flexible and easy access.**

COMPATIBLE WITH  
AQUALOO CUBICLES

**CONCEALED WALL  
PANELLING SYSTEMS**

13MM  
COMPACT LAMINATE

MR BOARD OR OTHER  
APPROVED MATERIALS

SINGLE WALL IPS

CONTINUOUS WALL IPS


HALF HEIGHT IPS

IPS BEADHEADS

AQUALOO

**IPS**

**(Integrated Panelling Systems)**



Fixed and removal panels, for easy access to concealed services. Better use of floor space, no service ducts needed, easy to clean and maintain. Suitable for wet and dry environments in hospitality, medical, education, multi-residential, office, retail and community.

# AQUALOO MODESTY



## ROYAL 900 / 1200

**Board Options:**  
13mm Compact Laminate  
or 18mm MR Board

**Overall Height:**  
1600mm with either 400mm  
or 700mm floor clearance

**Overall Width:** Up to 400mm

**Panel Height:** 900mm or 1200mm

**Fittings:**  
Clear anodised aluminum channel  
Powder coating option available

**Fixings:**  
All in 304 stainless steel.



## CONTEMPORARY

**Board Options:**  
13mm Compact Laminate,  
18mm or 32mm MR Board

**Overall Height:**  
2005mm  
with 205mm floor clearance

**Overall Width:** Up to 500mm

**Panel Height:** 1800mm

**Fittings:**  
Clear anodised aluminum channel  
Powder coating option available

**Fixings:**  
All in 304 stainless steel.



## HORIZON

**Board Options:**  
13mm Compact Laminate,  
18mm or 32mm MR Board

**Overall Height:**  
2005mm  
with 205mm floor clearance

**Overall Width:** Up to 1600mm


**Panel Height:** 1800mm

**Fittings:**  
Clear anodised aluminum channel  
Powder coating option available

**Fixings:**  
All in 304 stainless steel

**Ceiling Support:**  
Structural rail fixed to floor  
and ceiling at front of panel.

# AQUA SERIES DOOR HARDWARE



INDICATOR



LOCKSET



AMBULANT  
LOCKSET




LIFT OFF SPRING  
HINGE



DOOR  
BUMPER



COAT HOOK



INDICATOR



LOCKSET



AMBULANT  
LOCKSET



LIFT OFF SPRING  
HINGE



DOOR  
BUMPER



COAT HOOK



 **WCCI**  
WEST COAST COMMERCIAL INDUSTRIES

**COLOUR  
RANGE**

 **Aqualoo**<sup>®</sup>

LEADERS IN WASHROOM SOLUTIONS

[www.aqualoo.com.au](http://www.aqualoo.com.au)

**WEST COAST COMMERCIAL INDUSTRIES - WCCI PTY LTD**

33 Morgan St Rockingham WA 6168 | 1300 735 977 | [sales@wcci.com.au](mailto:sales@wcci.com.au)

We design, manufacture, supply and distribute across Australia with our main warehouse in WA.  
Visit our website for distributors' contact details: [www.aqualoo.com.au/our-distributors](http://www.aqualoo.com.au/our-distributors)